Beldrey®



PET PLUS⁺
MULTICYCLONIC
INSTRUCTION MANUAL



Beldray®



Please read all of the instructions carefully and retain for future reference.

Safety Instructions

When using electrical appliances, basic safety precautions should always be followed.

Check that the voltage indicated on the rating plate corresponds with that of the local network before connecting the appliance to the mains power supply.

Children aged from 8 years and people with reduced physical, sensory or mental capabilities or lack of experience and knowledge can use this appliance, only if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.

Children should be supervised to ensure that they do not play with the appliance.

Unless they are older than 8 and supervised, children should not perform cleaning or user maintenance.

This appliance is not a toy.

This appliance contains no user serviceable parts. If the power supply cord, plug or any part of the appliance is malfunctioning or if it has been dropped or damaged, do not use. Only a qualified electrician should carry out repairs. Improper repairs may place the user at risk of harm.

Keep the appliance and its power supply cord out of the reach of children.

Keep the appliance out of the reach of children when it is switched on or cooling down.

Keep the appliance and its power supply cord away from heat or sharp edges that could cause damage.

Keep the appliance away from other heat emitting appliances. Keep the appliance free from dust, lint, hair or anything that may reduce the airflow of the appliance.

Do not immerse the appliance in water or any other liquid.

Do not operate the appliance with wet hands.

Do not expose the appliance to rain.

Do not leave the appliance unattended whilst connected to the mains power supply.

Do not remove from the mains power supply by pulling the cord; switch off and remove the plug by hand.

Do not pull or carry the appliance by its power supply cord.

Do not use the appliance if it has been dropped or if there are visible signs of damage.

Do not use the appliance for anything other than its intended use. Do not use any parts/accessories other than the parts supplied with this appliance, as this may cause damage.

Do not use any damaged accessories.

Do not use this appliance outdoors.

Do not store the appliance in direct sunlight or in high humidity conditions.

Do not use this appliance if any of the openings are blocked.

Do not use the appliance to pick up flammable liquid, matches, cigarette ends, hot ashes or any hot, burning or smoking objects.

Do not use this appliance to pick up hard, sharp objects such as glass or nails etc.

Do not use the appliance to pick up water or any other liquid, as this poses risk of an electric shock.

Take care when equipping accessories with rotating parts as this could cause entrapment.

Switch off the appliance, disconnect it from the mains power supply and allow to cool fully before changing or fitting accessories and before cleaning or user maintenance.

Use of an extension cord with the appliance is not recommended. This appliance should not be operated by means of an external

timer or separate remote control system.

This appliance is intended for domestic use only. It should not be used for commercial purposes.



Thermal Cut-out Device

If the dust container and filters are not cleaned on a regular basis, the vacuum cleaner may overheat, which will cause the thermal cut-out device to activate due to restricted flow of air around the unit. If the vacuum cleaner cuts out, press the power button to turn it off and unplug it from the mains power supply. Proceed to empty the dust container, clean all of the filters and allow the vacuum cleaner to cool for approx. 1 hour.

Care and Maintenance

Always unplug the vacuum cleaner from the mains power supply before attempting any cleaning or maintenance.

Wipe the external surface of the vacuum cleaner with a soft, damp cloth and allow to dry thoroughly.

Do not use any harsh or abrasive detergents or cleaning agents to clean any part of the vacuum cleaner.

Clean the filters after every removal of the dust container.

Remove the cyclonic cone to clean the inside of the dust container.

Dos and Don'ts

Do:

Check that the filters are kept clear of obstruction.

Make sure that the dust container and filters are cleaned regularly to preserve suction and to prolong the life of the vacuum cleaner. Clean the turbo pet brush on a regular basis to keep it free from a build-up of dust and dirt.

Don't:


Use the vacuum cleaner without the filters or dust container in position.

Use the vacuum cleaner to pick up liquid, matches, cigarette ends, hot ashes or any hot, burning or smoking objects.

Empty the dust container indoors.

Pull or lift the vacuum cleaner by its power supply cord.

Description of Parts



- 1. Pet Plus+ Multicyclonic main unit
- 2. Handle
- 3. Storage clip
- 4. Telescopic extension tube
- 5. Telescopic extension tube button
- 5. Suction hose
- 7. Suction hose lock
- 8. Suction hose neck
- 9. Air valve
- 10. Power button
- 11. Cord rewind button
- 12. Air inlet
- 13. Dust container

- 14. Dust container release catch
- 15. Dust container base release clip
- 16. Dust container lid release catch
- 17. HEPA filter
- 18. HFPA mesh filter
- 19. Exhaust HEPA filter
- 20. Removable hub cap
- 21. Cyclonic cone
- 22. Floor brush
- 23. Crevice/brush tool
- 24. Turbo pet brush
- 25. Turbo pet brush removable head



Instructions for Use

Before First Use

Before using the vacuum cleaner for the first time, clean it with a soft, damp cloth and dry thoroughly.

Do not immerse the vacuum cleaner in water or any other liquid.

Assembling the Pet Plus+ Multicyclonic

Before fitting any accessories into the air inlet, check that the vacuum cleaner is disconnected from the mains power supply.

STEP 1: Fit the dust container by pushing it onto the vacuum cleaner main unit, aligning the indent on the base of the dust container with the knob on the unit.


STEP 2: To attach the suction hose, insert the suction hose lock into the air inlet.


STEP 3: To remove the suction hose, simultaneously push both locking tabs and pull the suction hose lock firmly away from the air inlet.

Using the Telescopic Extension Tube

The floor brush, crevice/brush tools and the turbo pet brush all fit onto the telescopic extension tube to help to reach into confined spaces, such as behind radiators or underneath car seats.

STEP 1: Fit the telescopic extension tube by pushing the large opening of the telescopic extension tube over the end of the suction hose neck (1).





STEP 2: Push the chosen attachment onto the end of the telescopic extension tube (2).

STEP 3: Adjust the telescopic extension tube to the required length by pressing the telescopic extension tube button down and sliding the inner tube in or out.

STEP 4: Release the telescopic extension tube button to lock the telescopic extension tube into position at the selected length.

Using the Floor Brush

STEP 1: Push the floor brush onto the end of the telescopic extension tube or the suction hose neck (if the telescopic extension tube is not being used).


STEP 2: Select which position on the floor brush is required for the floor type by pressing the switch forwards or backwards. Switching it forwards lifts the brushes for use on carpet and switching it backwards lowers the brushes for cleaning hard floors.

STEP 3: Carefully pull out the power supply cord until it is at a suitable length; do not exceed the red mark. Plug it into the mains power supply.

STEP 4: Turn on the vacuum cleaner by pressing the power button. Press the power button again to switch it off.

Note: Open the air valve on the floor brush when vacuuming carpets.





Using the Crevice/Brush Tool

The crevice/brush tool is a 2 in 1 attachment with a rotating head that can be used as either a crevice tool for removing dust and dirt from folds in fabrics, radiators, corners, recesses and other places that are hard to reach, or as a brush tool that is perfect for cleaning shelves, cupboards and windowsills.

STEP 1: Push the crevice/brush tool onto the end of the telescopic extension tube or the suction hose neck if the telescopic extension tube is not being used.

STEP 2: Rotate the head until the desired brush or crevice tool is selected.

STEP 3: Turn on the vacuum cleaner by pressing the power button; press the power button again to switch it off.

Note: Do not use the suction hose neck without an accessory attached.



Using the Turbo Pet Brush

The turbo pet brush is perfect for removing pet hairs from carpet or upholstery. The removable head can be fitted onto the turbo pet brush to help to lift embedded, difficult-to-remove pet hairs.

STEP 1: If required, place the removable head over the end of the turbo pet brush and secure it by gently pushing until the two tabs click into place. If not needed, detach the removable head by pushing down on the two tabs and lifting it firmly away from the turbo pet brush.

STEP 2: Push the turbo pet brush onto the end of the telescopic extension tube or the suction hose neck if the telescopic extension tube is not being used.

STEP 3: Turn on the vacuum cleaner by pressing the power button; press the power button again to switch it off.

Warning: Do not use the turbo pet brush on pets.

After Use

STEP 1: Turn off the vacuum cleaner by pressing the power button.

STEP 2: Switch off and unplug the vacuum cleaner from the mains power supply.

STEP 3: Press and hold the cord rewind button until the power supply cord has completely wound back into the cable drum.

STEP 4: The vacuum cleaner can be stored compactly by clipping the telescopic extension tube to the back of the vacuum cleaner. This will keep the floor brush horizontal and the unit stable.

Warning: Hold onto the plug to guide the power supply cord back into the vacuum cleaner. Failure to do so may cause damage to the vacuum cleaner or injury to the user.

Cleaning the Turbo Pet Brush

After regular use, the turbo pet brush may become clogged by pet hair and other debris. To maintain optimum performance, it needs to be cleaned frequently.

STEP 1: Remove the turbo pet brush from the telescopic extension tube or suction hose.

STEP 2: Detach the removable head by pushing down on the two tabs and lifting it away from the turbo pet brush.

STEP 3: Unscrew the locking ring from the turbo pet brush air inlet by rotating it in an anticlockwise direction. This will provide access to the brush bar, belt and impeller.

STEP 4: The brush bar and impeller can now be lifted out of the turbo pet brush, allowing for any built-up debris to be removed.

STEP 5: Once the turbo pet brush has been cleaned thoroughly, replace the brush bar, checking that the belt is attached correctly and that the spindle end of the impeller is correctly aligned with the corresponding slot on the brush bar.

STEP 6: Reattach the top back onto the turbo pet brush, aligning the locking tabs at the front first, and then pushing the bottom into position to secure.

STEP 7: Screw the locking ring back into position by rotating it in a clockwise direction on the turbo pet brush air inlet.

Note: Take care when clearing the turbo pet brush due to the number of small parts.

Keep the turbo pet brush free from a build-up of dust and dirt. Clean the turbo pet brush bar on a regular basis.

Emptying the Dust Container

Before emptying the dust container, switch off and unplug the vacuum cleaner from the mains power supply. It is recommended to empty the dust container outdoors.

STEP 1: Whilst securely holding the vacuum cleaner main unit, remove the dust container by pushing the dust container release catch and pulling the dust container away.

STEP 2: Holding the dust container over a bin or refuse bag, pull the dust container base release clip to open the dust container. Empty the dust container slowly and carefully to reduce the amount of dust released back into the atmosphere. Shake the dust container gently to dislodge any stubborn dust.

STEP 3: To close the dust container, push the base closed and secure the dust container release catch back into position.

STEP 4: Replace the dust container by pushing it into the vacuum cleaner main unit, aligning the latch with the indent.

Warning: Do not use the vacuum cleaner if the dust container is filled past the max. fill mark, as this could damage the vacuum cleaner or cause injury to the user.

Cleaning the Dust Container, HEPA Filter and Mesh Filter

The filters can only be accessed when the dust container has been removed. The cyclonic cone can be removed from the dust container to make cleaning easier.

STEP 1: Empty the dust container following the instructions in the section entitled 'Emptying the Dust Container'.

STEP 2: Once the dust container is empty, close it.

STEP 3: Holding the handle, rotate the dust container cover in an anticlockwise direction from the 'locked' position to the 'unlocked' position, and remove the dust container.

STEP 4: Pull the dust container lid release catch and lift the lid up.

STEP 5: Remove the HEPA filter and the HEPA mesh filter.

STEP 6: Shake off the HEPA filter and HEPA mesh filter until the majority of the dust has been removed, then wash them under clean, warm water and allow to dry thoroughly.

Beldray®

STEP 7: Clean the cyclonic cone by rinsing with warm water. Allow to dry thoroughly.

STEP 8: Wash the dust container in clean, warm water and allow to dry thoroughly.

STEP 9: Once all of the parts have dried fully, reinsert the cyclonic cone into the dust container, aligning the slots on the unit, and then insert the HEPA filter and mesh filter back on top.

STEP 10: Replace the dust container cover and lock back into place by rotating it in a clockwise direction.

Note: If the dust container, cyclonic cone, HEPA filter and mesh filter are not cleaned regularly, the thermal cut-out device will activate. For further details, see the section entitled 'Thermal Cut-out Device'.

Warning: Do not clean the HEPA filter and mesh filter using detergent. Always allow the HEPA filter and mesh filter to air dry; never use external heat sources, such as a radiator to dry them. Do not wring or twist the HEPA filter or mesh filter as this will cause damage.

Do not use the vacuum cleaner without any of the filters or the cyclonic cone in position, as this could cause damage.

Cleaning the Exhaust HEPA filter

The exhaust HEPA filter is located behind the right wheel on the vacuum cleaner main unit.

STEP 1: To remove the exhaust HEPA filter for cleaning, rotate the removable hub cap in an anticlockwise direction and pull it away from the wheel.

STEP 2: Remove the exhaust HEPA filter from the exhaust HEPA filter housing.

STEP 3: Shake off the exhaust HEPA filter until the majority of the dust has been removed, then wash it under clean, warm water and allow to dry thoroughly.

STEP 4: Once the exhaust HEPA filter has dried fully, slot it back into the exhaust HEPA filter housing and replace the removable hub cap, locking it back into place by rotating it in a clockwise direction.

Warning: Do not clean the exhaust HEPA filter using detergent. Always allow the exhaust HEPA filter and mesh filter to air dry; never use external heat sources, such as a radiator to dry them. Do not wring or twist the exhaust HEPA filter as this will cause damage.

Do not use the vacuum cleaner without any of the filters or the cyclonic cone in position, as this could cause damage.

Storage

The floor brush can be positioned into the storage clip for easy storage. Check that the vacuum cleaner is cool, clean and dry before storing in a clean, dry place.

Troubleshooting

Symptom	Possible Cause	Solution
The suction is poor.	The telescopic extension tube, floor brush, crevice/brush tool, pet turbo brush or air inlet is blocked.	Disconnect the attachment and clear the blockage.
	The dust container is almost full.	Empty the dust container following the instructions in the section entitled 'Emptying the Dust Container'.
	The filters are blocked.	Clean the filters following the instructions in the section entitled 'Cleaning the Dust Container, HEPA Filter and Mesh Filter' and 'Cleaning the Exhaust HEPA filter'.



The vacuum cleaner has cut out or stopped working.	The thermal cut-out device has activated due to restricted air flow, and has cut power to the motor to protect the vacuum cleaner.	Switch off and disconnect the vacuum cleaner from the mains power supply. Empty the dust container and clean the HEPA filter, exhaust HEPA filter and mesh filters. Allow the vacuum cleaner to cool for approx. 1 hour.
--	--	--

Specifications

Product code: BEL0812NBRMFOB Rated Voltage: 220-240 V ~ 50/60 Hz

Rated Wattage: 700 W



Notes:



Brand Merchant Pty Ltd. Suite 8, 8A St Andrews Street, Brighton Victoria 3186, Australia

If this product does not reach you in an acceptable condition please contact our Customer Services Department by **www.beldray.com.au.**

Please have your delivery note to hand as details from it will be required.

If you wish to return this product please return it to the retailer from where it was purchased with your receipt (subject to their terms and conditions).

The crossed out wheelie bin symbol on this item indicates that this appliance needs to be disposed of in an environmentally friendly way when it becomes of no further use or has worn out. Contact your local authority for details of where to take the item for recycling.



Imported & Distributed by: Brand Merchant Pty Ltd Suite 8, 8A St Andrews Street, Brighton Victoria 3186, Australia

www.brandmerchant.com.au

©Beldray Trademark, All rights reserved.

Please retain instructions for future reference

Made in China



CD290518/MD270520/V4