

Beldray[®] est 1872

Our **warm,**
portable &
convenient
convector heater



2000 W CONVECTOR HEATER INSTRUCTION MANUAL

* This product is only suitable for well-insulated spaces or occasional use



www.beldray.com

Please read all of the instructions carefully and retain for future reference.

Safety Instructions

When using electrical products, basic safety precautions should always be followed.

Check that the voltage indicated on the rating plate corresponds with that of the local network before connecting the product to the mains power supply.

Children younger than 3 years old should be kept away from the product unless continuously supervised.

Children aged from 3 years and less than 8 years should only switch on/off the product, provided that it has been placed or installed in its intended operating position and they have been given supervision or instruction concerning the use of the product in a safe way and understand the hazards involved.

Children aged from 3 years and less than 8 years should not plug in, regulate or clean the product or perform user maintenance.

Children should be supervised to ensure that they do not play with the product.

This product is not a toy.

This product contains no user serviceable parts. If the power supply cord, plug or any part of the product is malfunctioning or if it has been dropped or damaged, only a qualified electrician should carry out repairs. Improper repairs may place the user at risk of harm.

Keep the product and its power supply cord out of reach of children.

Keep the product and its power supply cord away from heat or sharp edges that could cause damage.

Keep the power supply cord away from any parts of the product that may become hot during use.

Keep the product away from other heat emitting products.

Keep furniture, curtains and other flammable material at least 1 metre away from the product.

Do not run the supply cord under carpets, rugs etc. or anywhere where it may present a trip hazard.

Do not immerse the product or plug in water or any other liquid.

Do not operate the product with wet hands.

Do not use this product in the immediate surroundings of a bath, a shower or swimming pool.

Do not leave the product unattended whilst connected to the mains power supply or when in use.

Do not remove from the mains power supply by pulling the cord; switch off and remove the plug by hand.

Do not use this product for extended periods of time.

Do not use the product for anything other than its intended use.

Do not cover this product.

Do not use this product outdoors.

Do not attempt to move the product whilst it is in use.

Do not touch the product during use, as it will get very hot and could cause injury.

Do not use the product with a programmer, timer, separate remote-control system or any other device that will switch the product on automatically, as there is a risk of fire if the heater is covered or positioned incorrectly.

Do not clean the product with abrasive chemicals or materials such as scourers as they may damage the product and impair future function.

The product should be used on a stable, heat-resistant surface.

The product must not be located immediately below or next to a mains power supply.

Always unplug the product after use and before any cleaning or maintenance.

Always ensure that the product has cooled fully after use, before any cleaning or maintenance.

Never use accessories that are not recommended or supplied by the manufacturer. It could cause danger to the user and damage

to the product.

Use of an extension cord with the product is not recommended. This product is intended for domestic use only. It should not be used for commercial purposes.

Caution: Some parts of this product can become very hot and cause burns. Particular attention has to be given where children and vulnerable people are present.



Hot surface – do not touch the hot section or heating components of the product.



Warning: In order to avoid overheating, do not cover the product.

This product is not equipped with a device to control the room's temperature. Do not use this product in small rooms whilst occupied by persons incapable of leaving the room on their own, unless constant supervision is provided.

Thermal Cut-Out Device

The convector heater is fitted with a thermal safety cut-out device, built-in to prevent it from overheating. Should the convector heater start to overheat, the thermal safety cut-out system will automatically operate and the heat settings will switch off. If this happens:

STEP 1: Switch off the convector heater using the activated heat setting switch.

STEP 2: Ensure that the convector heater is unplugged from the mains power supply and allow it to cool for approximately 15 minutes.

STEP 3: Clear any blockages present on the vent, being careful not to damage the convector heater.

STEP 4: Plug in and switch on the convector heater at the mains power supply.

Caution: In order to avoid a hazard, due to inadvertent resetting of the thermal cut-out, this convector heater must not be supplied through an external switching device such as a timer or connected to a circuit that is regularly switched on and off by the product.

Care and Maintenance


Always unplug the convector heater from the mains power supply and allow to cool sufficiently before performing any cleaning or maintenance.

Wipe the convector heater with a soft, damp cloth and allow to dry thoroughly.

Do not use harsh or abrasive cleaning solvents, as these may damage the finish of the convector heater.

Do not immerse the convector heater in water or any other liquid.

Description of Parts



- | | |
|-------------------------------|-------------------------------|
| 1. Convector Heater main body | 5. 1250 W heat setting switch |
| 2. Carry handles | 6. 2000 W heat setting switch |
| 3. Adjustable thermostat | 7. Wall-mounting point |
| 4. 750 W heat setting switch | 8. Moulded feet |

Instructions for Use

Before First Use

STEP 1: Check that there is no damage to the convector heater.

STEP 2: Attach the two moulded feet to the bottom of the convector heater using the four small screws provided.

STEP 3: Position the convector heater on a flat, stable, heat-resistant surface in an open space, at least 1 metre away from furniture, curtains or any other flammable materials. Do not block the air intake on the back of the convector heater.

Note: When using the convector heater for the first time, a slight odour may be emitted. This is normal and will soon subside. Allow for sufficient ventilation around the convector heater.

Using the Convector Heater

STEP 1: Plug in and switch on the convector heater at the mains power supply.

STEP 2: To turn on the convector heater, turn the heat dial to I, II or III.

STEP 3: Operate the convector heater on a low heat setting by flicking the 750 W heat setting button.

STEP 4: For a medium heat setting, press the 1250 W heat setting button.

STEP 5: Flick both of the heat setting switches to operate the convector heater on the highest heat setting (2000 W).

STEP 6: The adjustable thermostat can be used to finely regulate the temperature. Turn it in a clockwise direction to increase the heat output. To reduce it, turn the adjustable thermostat in an anticlockwise direction.

STEP 7: Turn off the convector heater by flicking any active power switches.

Note: The corresponding heat indicator light will illuminate whilst the convector heater is warming up and will cycle on and off during use to show that the correct temperature is being maintained.

Storage

Check that the convector heater is completely cool before storing in a cool, dry place. Never wrap the cord tightly around the convector heater; wrap it loosely to avoid causing damage.

Specifications

Product code: EH3334

Voltage: 220-240 V ~ 50 Hz

Power: 2000 W

ERP Table

Item	Symbol	Value	Unit	Item	Unit
Heat Output				Type of heat input for electric storage local space heaters only (select one).	
Nominal heat output	P_{nom}	1.8-2.0	kW	Manual heat charge control, with integrated thermostat.	No
Minimum heat output (indicative)	P_{min}	0.75	kW	Manual heat charge control with room and/or outdoor temperature feedback.	No
Maximum continuous heat output	$P_{max,c}$	2.00	kW	Electronic heat charge control with room and/or outdoor temperature feedback.	No
Auxiliary electricity consumption				Fan assisted heat output.	No
At nominal heat output	el_{max}	N/A	kW	Type of heat output/room temperature control (select one).	
At minimum heat output	el_{min}	N/A	kW	Single stage heat output an no room temperature control.	No
In standby mode	el_{sb}	0	kW	Two or more manual stages, no room temperature control.	No
				With mechanic thermostat room temperature control.	Yes
				With electronic room temperature.	No
				Electronic room temperature control plus day timer.	No
				Electronic room temperature control plus week timer.	No
				Other control options (multiple selections possible).	
				Room temperature control, with presence detection.	No
				Room temperature control, with open window detection.	No
				With distance control option.	No
				With adaptive start control.	No
				With working time limitation.	No
				With black bulb sensor.	No

The crossed out wheelie bin symbol on this item indicates that this appliance needs to be disposed of in an environmentally friendly way when it becomes of no further use or has worn out. Contact your local authority for details of where to take the item for recycling.



Manufactured by:
UP Global Sourcing UK Ltd.,
Victoria Street, Manchester OL9 0DD. UK

www.beldray.com

©Beldray Trademark. All rights reserved.

Please retain instructions for future reference.

Made in China.

CD090920/MD000000/V1